




Independence 3m Steplift

A modern system with
up to three metres of travel



Reaching new heights

Independence 3m Steplift

The Steplift that takes you further - capable of lifting 500kg to a maximum of 3 metres, while continuing to provide the strength, modern aesthetics and configuration options you expect from Pollock Lifts.

This modern and lightweight access solution is available in two models - 2 metres and 3 metres. With three platform sizes, you can choose the system that best suits your needs. The aluminium and stainless steel construction provides both strength and modern aesthetics and can be tailored to suit individual requirements.

2m or 3m models

Battery operation

500kg capacity

Modern lightweight design

› Features

- On board manual lowering system
- Emergency release on upper and lower level gates
- Auto reverse on upper and lower level gates
- Full platform safety edge as standard
- Suitable for internal or external use (corrosion resistant)
- Stylish side panels and upper / lower gates in powder coated aluminium with Acrylic infills
- Gates can be rehanded (opening direction changed) on site to suit
- Simple to install and easy to service 2-piece system
- Integral pump - no need for remote pump unit minimising installation time
- Battery powered (power pack integral to rail structure)
- Can be reinstalled to a new location

› Sectors

 Public Access

 At Home

› Platform Sizes

800 x 1400mm

900 x 1400mm

1100 x 1400mm

› Options

Gate

- Automatic upper gate
- Automatic lower gate
- On board ramp
- Auto closers

Controls

- Post mounted call station
- Configurable control side
- Dual control on the platform
- Auto dialler on the platform
- Full braille controls

Finish

- Light beams
- Light curtain
- Custom colour
- Bellows
- Marine grade environment

> Configurations

2m Through Entry



All measurements are in millimetres (mm)

2m Models	Internal Dims	External Dims
800 standard	800 x 1400	1110 x 1650
900	900 x 1400	1210 x 1650
1100	1100 x 1400	1410 x 1650

2m Adjacent Entry/Exit



2m Models	Internal Dims	External Dims
900 standard	900 x 1400	1210 x 1760
1100	1100 x 1400	1410 x 1760

3m Through Entry




3m Models	Internal Dims	External Dims
800 standard	800 x 1400	1110 x 1650
900	900 x 1400	1210 x 1650
1100	1100 x 1400	1410 x 1650

3m Adjacent Entry/Exit



3m Models	Internal Dims	External Dims
900 standard	900 x 1400	1210 x 1760
1100	1100 x 1400	1410 x 1760

Bespoke Option






We can create a Steplift that is bespoke to your needs. We will assist with site requirements and advise on regulations and legislation (e.g. platform sizes, control requirements etc). We will ensure that your lift not only performs exactly as you want, but also looks exactly how you need it to.

› Technical Specifications

Location	Internal or External environments
Usage	Public or domestic use by ambulant and wheelchair users
Maximum passengers	Wheelchair user plus attendant
Lift Safe Working Load	500kg
Platform Sizes (w) x (l)	800 x 1400mm 900 x 1400m 1100 x 1400mm
Design & Manufacturing Standard	BS 6440:2011; Machinery Directive 2006/42/EC

The comprehensive ranges from Pollock Lifts ...

	 Public Access	 At Home	 Service & Goods
1m Steplift Classic	✓	✓	
1m Steplift Executive	✓	✓	
Independence Steplift 2m/3m	✓	✓	
Incline Platform Lift	✓	✓	
Passenger Lift	✓		
Vertical Platform Lift	✓		
Through Floor Lift		✓	
Residential Elevator		✓	
Residential Stair Lift		✓	
Service Lift			✓
Goods Lift			✓
Dumb Waiter			✓

Explore all our models at pollocklifts.co.uk

taylordolman

tel: 0845 838 0600
 email: info@taylordolman.com
www.taylordolman.com

› Get in touch for more information: