



HYGIENE ROOM




Concept Description:

The above layout shows a layout for a Shower and Toilet Room for someone with disabilities which follows a Part M (Building Regulations) recommendation. In this case for a right handed transferee. We can make layouts using a wide range of products to suit a huge array of needs and this is just one example.












Guldmann[®]

ROPOX Changing and Shower bed, wall mounted, tilt able incl. flexible waste kit and hand control

Electrical height adjustment 30-100cm Length 178cm Lying area is 18cm shorter 5 slats, double sided - tilt able Maximum user weight 220kg




ROPOX Grab Rail

60cm grab rail
Available in white or grey
Smooth surface, easy to clean



ROPOX Shower Rail

L-shaped grab rail with shower holder 100cm x 45cm Available in white or grey Smooth surface, easy to clean



ROPOX Toilet Support Arms – Wave 80

Maximum user weight of 80kg.
Fold up, wall mounted without wall support, Length 90cm.








Guldmann[®]


ROPOX Toilet Lifter, Electric

Electrical height adjustment 40.5 to 80.5cm
Unit size in bottom position: 118 x 79 x 20.5cm
Hand control may be placed in left or right side as required
Flushing 3 or 6 litres
Colour of unit is white



ROPOX Swing Washbasin Complete

Manually height adjustable 75-95cm.
Unit size 1012x661x74cm.
Incl. mixer tap, flexible connecting hoses and handle.



Guldmann GH3

Safe working load of 255Kg
Operation via hand control
Hoist unit weight 9.6Kg
Continuous charge in rail
Impact-resistant UL 94 V-0 flame retardant recyclable plastic



Guldmann Lifting Hanger

Lifting capacity up to 375kg

Four suspension points ensure safe, easy attachment of slings
Lifting hanger is available in XS, S and M sizes

Functional design with soft, unbroken surfaces that make it easy to handle and clean



taylordolman tel: 0845 838 0600 email: info@taylordolman.com